

www.chlor-rid.com



CHLOR*TEST™ "CSN Salts"







CHLOR*TEST™ "CSN Salts" kits test in-field for chloride, sulfates, and nitrates with one easy extraction.

- Unlike competitive salt kits, which only test for chloride
- Includes patented CHLOR*EXTRACT[™] solution and CHLOR*SLEEVE[™]

Unique patented extract solution, CHLOR*EXTRACT™, effectively retrieves surface salt contamination.

 This special extract enhances retrieval rates, thereby increasing accuracy.

Patented CHLOR*SLEEVE™ simplifies surface sampling.

- Sampling can be done overhead, vertically, horizontally, or at any angle with this device.
- All test results are measured directly in parts per million. No conversion charts are needed.
- Parts per million readings are a 1 to 1 ratio to micrograms per square centimeter. No mathematical calculations are necessary.
- Nitrate Testing is easy and measures a wide 0-50 ppm range.
- Cross contamination is limited with one-time use components.
- Easy to perform does not require special training.

Accurate and Easy to Use in the Field

EPA Compliant – No need to select a low or high range. Meters range is 0-100 ppm with auto ZEROING.

Digital direct readings with a large 3½" digital display incorporating low-battery warning.

European CE Mark of compliance for electromagnetic compatibility and safety.

Quantitative results are achieved in minutes. Each kit contains (5) individual tests with new refill kits available.



All components are pre-measured and pre-dosed for accuracy.

Colorimeter Specifications

- Water resistant design
- Auto zero
- Hinged light cover
- Digital direct readings
- European CL-Mark Compliant
- EPA Compliant
- 9-volt power source (included)

- Single wavelength
- Photometric ±0.001 absorbency
- Accuracy +/- 1 ppm
- Low battery warning (BAT)
- Overrange (Er2)
- Burnt out bulb (Er3)

Optional Accessories

- AC adapter 110 60Hz/220 50Hz
- RS-232 Interface Cable



CHLOR*TEST™ "CSN SALTS" kit is recommended for surface testing on:

- Bridges
- Aircraft
- Mining facilities
- Ships
- Marine structures
- Storage tanks
- Cooling towers

- Pipelines
- Power plants
- Offshore rigs
- Petrochemical plants
- Pulp and paper mills
- Steel fabrication
- Electronics

Maximize corrosion protection. Reduce premature coating failure. Test every surface before coating application.

When specifications require testing for chlorides, sulfates, and nitrates, count on CHLOR*TEST™ "CSN Salts."



440-899-2950 • 800-322-9696 811 Sharon Drive Westlake, OH 44145 www.chlor-rid.com

CHLOR*RID, a world leader in soluble salt information, removal, and testing since 1994.

PLEASE NOTE: As each customer's use of our product may be different, information we provide, including without limitation, recommendations, test results, samples, care/labeling/ processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labeling, marketing, etc. All sales are exclusively subject to our standard terms of sale posted at www.milliken.com/terms (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing. CHLOR*TEST is a trademark of Borchers Americas, Inc.

Edition: 11/2021

